



ARTICLE NO: 1D

PLANNING COMMITTEE:

MEMBERS UPDATE 2018/19

ISSUE: 8

Article of: Director of Development and Regeneration

Relevant Portfolio Holder: Councillor J Hodson

Contact for further information: Mr Ian Bond
(E-mail: ian.bond@westlancs.gov.uk)

SUBJECT: Applications For Works To TPO Trees Determined Under The Delegated System - 15/12/2018 to 01/02/2019

WARD:-

Application: T/2017/0141/T Decision: Grant Consent Subject to conditions (T)
PO

Proposal: T1 and T2 Sycamore Fell poor condition basal cavity and minimal buds set. Minimal leaf cover earlier in year Replace with 2 *Carpinus betulus* half standard in similar position

Location: 5 Old Rectory Green, Aughton, L39 6TE

Applicant: Mrs Barbara Petch

WARD:- Aughton And Downholland

Application: T/2018/0121/T Decision: Grant Consent Subject to conditions (T)
PO

Proposal: T21 Sycamore Fell large basal cavity and krezamaria replace with one *quercus rober* T62 Beech Fell. Stem canker bleeding possible honey fungus or phythophera, Oyster mushroom formation on main stem near main unions concern over potential for windthrow. Replace with on *fagus sylvatica* in a similar location

Location: Moor Hall Restaurant, Prescott Road, Aughton, Ormskirk, Lancashire, L39 6RT

Applicant: Mr Andy Bell

WARD:- Aughton And Downholland

Application: T/2018/0133/T Decision: Grant Consent Subject to conditions (T)
PO

Proposal: Lime - (T1) - Remove Epicormic. 15% crown thin.

Location: The Bowers, Mill Lane, Aughton, Ormskirk, Lancashire, L39 7HJ

Applicant: Mr Michael Duffy

WARD:- Aughton Park

Application: T/2018/0096/TP Decision: Grant Consent Subject to conditions (T)
O

Proposal: Horse Chestnut (T1) - fell to ground level due to bad pruning practice which has caused weak crown structure. Replant with Mountain Ash in nearby suitable area. Maple (T2) - fell to ground level as tree is in decline, with large areas of dieback throughout crown and several cavities on main stem where past pruning works have been carried out. Replant with Birch in nearby suitable area. Whitebeam (T3) - fell to ground level due to large cavity in main stem just above hedge height and the lean towards neighbouring property which is in close proximity. Replant with Whitebeam in nearby suitable area

Location: 64 Swanpool Lane, Aughton, Ormskirk, Lancashire, L39 5AZ

Applicant: Paul Beeley

WARD:- Aughton Park

Application: T/2018/0117/TPO Decision: Grant Consent Subject to conditions (T)

Proposal: Oak (T1) Crown raise 5-6m over garage . Remove 1 x lateral to nip back end weight. Crown clean and deadwood. to reduce shading .Good tree management. Oak (T2) - Crown raise 5m back from property ,Crown clean and deadwood. to reduce shading .Good tree management. Oak (T3) - Crown raise 7m. Secondaries only .Crown clean . Deadwood. good tree management.

Location: 16 Meadow Drive, Aughton, Ormskirk, Lancashire, L39 5BD

Applicant: Mrs Hargreaves

WARD:- Burscough West

Application: T/2018/0116/TPO Decision: Grant Consent Subject to conditions (T)

Proposal: G1 4 x Beech - Crown raise secondary branches over the road to 5m & 3-4m over the garden. Crown thin 10%. T1 Elm - Crown raise, secondary branches up to 5.2m. Remove 1 lateral branch over driveway & reduce lateral over the wall by 50%. Crown clean. All to allow clearance of road and footpath and to remove dead branches.

Location: Glenburn, 11 Liverpool Road North, Burscough, Ormskirk, Lancashire, L40 5TN

Applicant: Mr Chris Whitehead

WARD:- Derby

Application: T/2019/0004/T Decision: Grant Consent Subject to conditions (T)
PO
Proposal: T2 Sycamore - ThinningT3 Sycamore - ThinningT4 Sycamore - Remove 3
or 4 branches only
Location: Apartment 1-6, Claremont, Ruff Lane, Ormskirk, Lancashire, L39 4UP
Applicant:

WARD:- Knowsley

Application: T/2018/0107/T Decision: Grant Consent Subject to conditions (T)
PO
Proposal: Beech (T185) - Crown raise 5-6m secondaries only as part of a 10%
crown thin.Good tree management Sycamore (T184) - Fell.
Compression union .Outgrown position .Sycamore (T182) - Fell. Cavity
at base.Beech (T183 - Reduce back from property 2-3m as part of a
10% crown thin. To reduce shading and good tree managementBeech
(T181) - 10% crown thin. Good tree management.Beech (T180) -
Slight crown raise 6m .Good tree management.Beech (T179) - Slight
crown raise 6m. Good tree management.Beech (T178) - Crown thin
10%. Remove elongated lateral .Crown clean and deadwood.Good
tree managementBeech (T177) - Crown thin 10%. Remove elongated
lateral. Crown clean and deadwood.Good tree managementAll
deadwood and crown clean.
Location: 96A Cottage Lane, Ormskirk, Lancashire, L39 3NJ
Applicant: Mr Ryan Bell

WARD:- Skelmersdale North

Application: T/2019/0001/ Decision: Grant Consent Subject to conditions (T)
TPO
Proposal: T1 Ash - Remove. Poor state of health and risk to property.
Location: Slack Farm House, Wigan Road, Skelmersdale, Lancashire, WN8 8NB
Applicant: Mr Phil Dooley